

916 323 - 3018



State of California – The Resources Agency
DEPARTMENT OF PARKS AND RECREATION

NOTICE OF EXEMPTION

TO: Office of Planning and Research
1400 Tenth Street, Room 222
P.O. Box 3044
Sacramento, CA 95814

FROM: Department of Parks and Recreation
1416 Ninth Street
P.O. Box 942896
Sacramento, CA 94296-0001

PROJECT TITLE: Culvert Repair

LOCATION: San Onofre State Beach

COUNTY: Orange

DESCRIPTION OF THE NATURE AND PURPOSE OF PROJECT:

Winter storms of 2010 caused the failure of a storm drain culvert on the bluff face behind Surf Beach Restroom #4. 130' of 18" corrugated metal pipe detached from the SCE pave parking lot drop inlet at the top of slope and will be replaced with a plastic pipe that will be buried into slope bedding. The slope will be treated with jute netting and straw wattles before seeding and planting with appropriate California native plant species.

DPR-approved standard project requirements have been incorporated into this project. A copy of these requirements may be obtained by submitting a request to the project Environmental Coordinator listed below

PUBLIC AGENCY APPROVING THE PROJECT: California Department of Parks and Recreation

NAME OF DIVISION OR DISTRICT CARRYING OUT THE PROJECT: Orange Coast

EXEMPT STATUS:


- Declared Emergency (Section 15269(a))
- Emergency Project (Section 15269(b) and (c))
- Statutory Exemption (Section)
- Categorical Exemption
Class: 2 Section(s): 15302

REASONS WHY PROJECT IS EXEMPT:

New structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure replaced (class 2)

CONTACT: David Pryor, District Environmental Coordinator
California Department of Parks & Recreation
Orange Coast District Headquarters
3030 Avenida Del Presidente
San Clemente, CA 92672

PHONE NO.: (949) 497-1421
EMAIL: dpryor@parks.ca.gov



 Kenneth M. Kramer
 District Superintendent, Orange Coast District
 9/29/10

 Date